

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	(6557080 6286075 5584003).pn.	USPAT	ADJ	ON	2007/10/16 10:36
L3	3	"10/696144"	US-PGPUB	ADJ	ON	2007/10/16 10:36
L4	1	"10/749766"	US-PGPUB	ADJ	ON	2007/10/16 10:36
L5	11	("6,452,823" "6,412,044" "6,215,685" "6,223,248" "5,841,961" "5,226,009" "6,408,345" "5,513,335" "5,497,473" "5,469,555" "5,165,029").pn.	USPAT	OR	ON	2007/10/16 10:36
L6	1	"10/749900"	US-PGPUB	ADJ	ON	2007/10/16 10:36
L7	30700	hynix.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L8	3	(tag and initializ\$5) and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L9	19	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L10	235	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L11	3	((tag adj2 (block or cell)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L12	0	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. and (711/???.ccls. or 365/?????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36

EAST Search History

L13	7	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) and (711/???.ccls. or 365/?????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L14	60	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L15	4	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) same (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L16	14	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5) and (711/???.ccls. or 365/?????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L17	106	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L18	3	(711/105.ccls. or 711/108.ccls. or 711/202.ccls. or 711/203.ccls. or 365/?????.ccls.) and (tag near3 (block or cell) same initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L19	4	((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L20	4	"20050111284" or "6557080".pn. or "6286075".pn. or "6697909".pn.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L21	11	("6,452,823" "6,412,044" "6,215,685" "6,223,248" "5,841,961" "5,226,009" "6,408,345" "5,513,335" "5,497,473" "5,469,555" "5,165,029").pn.	USPAT	OR	ON	2007/10/16 10:36

EAST Search History

L22	3324	hynix.as.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L23	189	hynix.as. and normal.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L24	11	hynix.as. and normal.clm. and initializ\$5.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L25	0	hynix.as. and normal.clm. and nullifying.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L26	60	normal.clm. and nullifying.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L27	6	(normal operation).clm. and nullifying.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L28	1	(normal).clm. and nullifying.clm. and tag.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L29	249	(normal).clm. and operation.clm. and tag.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L30	66	(normal).clm. and operation.clm. and tag.clm. and physical.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L31	11	(normal).clm. and operation.clm. and tag.clm. and physical.clm. and address.clm.	US-PGPUB; USPAT	ADJ	ON	2007/10/16 10:36
L32	2	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3) near10 (tag near4 (table or journal or log)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L33	118	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L34	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L35	105	((select\$3 or choos\$3)) with (tag near6 (table or journal or log)) and ((sotr\$3 or sav\$3 or retain\$3) with (cell or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36

EAST Search History

L36	358	(control\$4 and tag and (block or memory or cell or register)) .ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L37	86	(control\$4 and tag adj2 (block or memory or cell or register)) .ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L38	9	(control\$4 and tag adj2 (block or memory or cell or register)) .ti. and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L39	1	(initializ\$4 near3 tag adj2 (block or memory or register or cell)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L40	37	(initializ\$4 near3 tag adj2 (block or memory or register or cell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L41	26	(initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L42	1	"20040085835"	US-PGPUB	ADJ	ON	2007/10/16 10:36
L43	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L44	37	(initializ\$4 near3 tag adj2 (block or memory or register or cell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36

EAST Search History

L45	60	(number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L46	105	((select\$3 or choos\$3)) with (tag near6 (table or journal or log)) and ((sotr\$3 or sav\$3 or retain\$3) with (cell or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L47	106	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L48	9	(control\$4 and tag adj2 (block or memory or cell or register)) .ti. and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L49	1	"5584003".pn.	USPAT	ADJ	ON	2007/10/16 10:36
L50	106	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L51	26	(initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L52	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L53	135	tag (block or cell) and (logical with physical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36

EAST Search History

L54	21	tag (table) and (logical with physical) near4 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L55	19	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L56	4	((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L57	8	(cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) with (word near4 line) with (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L58	83	(cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L59	68	tag (block or cell) and (logical with physical) near4 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L60	26	(initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L61	4	((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36

EAST Search History

L62	30	initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L63	21	tag (table) and (logical with physical) near4 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L64	83	(cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L65	19	tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L66	106	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L67	8	(cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) with (word near4 line) with (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L68	68	tag (block or cell) and (logical with physical) near4 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L69	4	((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36

EAST Search History

L70	106	(cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L71	135	tag (block or cell) and (logical with physical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L72	135	tag (block or cell) and (logical with physical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L73	32	(L14 L26 L30 L37 L58 L64 L8 L9 L11 L13 L15 L16 L18 L19 L24 L27 L31 L32 L34 L38 L40 L41 L43 L44 L45 L48 L51 L52 L54 L55 L56 L57 L60 L61 L62 L63 L65 L67 L68 L69) and @pd>"20070322"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 10:36
L74	239	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L75	34	(tag and (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L76	7	(initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36
L77	4	((cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 10:36